

Date:

Commen

## **Quality Control Laboratory**

Certificate of Analysis			
Product: Calcium Glycero phosphate BP2015			
Batch No.:CGP97-100			
Quantity: 1000 kg		Lab No.: QC660	
Packing: 25 kg		Mfg. date: 16/11/97	
Ref: BP2015		Exp. date: 16/11/99	
No.	Chemical Analysis	Specifications	Results
01	Characteristics	A white or almost white powder	White powder
02	Solubility	Sparingly Soluble in Water, Practically Insoluble in ethanol(96%)	Conforms
03	Identification A,B,C	According to BP requirements	Passes the tests
04	Appearance of solution	According to BP requirements	Solution S is clear ond Colorless
05	Acidity or Alkalinity	According to BP requirements	Passes the test
06	Glycerol and Ethanol Soluble Substances	Max.0.5%	0.2%
07	Citric Acid	According to BP requirements	No precipitate is formed.
08	Chlorides	Max. 500 ppm	< 500 ppm
09	Phosphates	Max. 400 ppm	< 400 ppm
10	Sulfates	Max. 0.1%	< 0.1%
11	Arsenic	Max. 3 ppm	< 3 ppm
12	Iron	Max. 50 ppm	< 50 ppm
13	Heavy metal	Max. 20 ppm	< 20 ppm
14	Loss on drying	Max. 12.0 %	7.1%
15	Assay	18.6- 19.4%	18.9 %
Date of Sampling: 17/11/97			
		Approved	☐ Rejected
Date of Analysis: 18/11/97			
	Analyst	Q.C.Monager	Authorized By

We hereby certify that this product has been prepared under GMP regulation and tested according & conform to the requirements of BP2015. The raw materials, manufacturing process and product do not contain any of the solvents listed in residual solvents BP<5.4>